


















AUTODAX, s.r.o., Popradská 27, 059 11 Hozelec, +421 911 990 200, autodax@autodax.sk, www.autodax.sk

Line	Product	EAN Barcode	Description	RRP CZK
REFERENCE ULTRA		GZ ULTRA A-2	4037072024968 Ultra-high-end 2-channel amplifier Full-symmetrical dual-mono design 2 x 200 WRMS @ 4 ohm 2 x 330 WRMS @ 2 ohm 2 x 450 WRMS @ 1 ohm	168 190,00 CZK
		GZ ULTRA T-30	4037072025279 Ultra-high-end 30mm soft dome tweeter Tightly-tolerated technical parameters 100 W RMS / 150 W max	55 990,00 CZK
	Pictures coming soon	GZ ULTRA M-80	4037072025262 Ultra-high-end 80mm midrange speaker High-Tech Kevlar® cone Airflow-optimized aluminum basket NRG protection grills with aluminum ring included 70 W RMS / 110 W max	41 890,00 CZK
	Pictures coming soon	GZ ULTRA 80-GRILL	4037072025996 80 mm hexagon style NRG speaker grill Fits to GZ ULTRA / GZPM / GZNM / GZUM / GZHM / GZRM	tba
		GZ ULTRA K-165	4037072025255 Ultra-high-end 165mm midwoofer Tightly-tolerated technical parameters Lightweight carbon-fleece sandwich cone Airflow-optimized aluminum basket 100 W RMS / 160 W max	55 990,00 CZK
		GZ ULTRA 165-GRILL	4037072025231 165 mm hexagon style NRG speaker grill Fits to GZ ULTRA / GZPK / GZNM / GZUK / GZHK 1 pair	6 990,00 CZK
Line	Product	EAN Barcode	Description	RRP CZK
REFERENCE		GZPA Reference 2PURE	4037072014624 2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	98 090,00 CZK
		GZPA Reference 4PURE-SQ	4037072021394 4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	117 790,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
PLUTONIUM	 GZPA 2SQ	4037072019353	2 channel High End SQ Class AB amplifier 2 x 150 WRMS @ 4 ohm 2 x 280 WRMS @ 2 ohm 2 x 450 WRMS @ 1 ohm	36 390,00 CZK
	 GZPA 4SQ	4037072019360	4 channel High End SQ Class AB amplifier 4 x 110 WRMS @ 4 ohm 4 x 200 WRMS @ 2 ohm 4 x 300 WRMS @ 1 ohm	40 590,00 CZK
	 GZPT 28SQ	4037072021592	28 mm / 1.1" High End SQ silk dome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 770 Hz, Coupled chamber CNC machined stainless steel housing 2-Layer coated silk dome	16 790,00 CZK
	 GZPF 40SQX	4037072023107	40 mm / 1.6" full range speaker Handmade in Germany Aluminum cone Stainless steel housing with coupled chamber 4 ohm / Fs 440 Hz / Re 3.1 ohm / SPL 84 dB Power handling 50/80 Watts RMS/max.	13 990,00 CZK
	 GZPM 80SQ-C	4037072025439	High-end 80 mm / 3.15" midrange speaker 70 WRMS / 110 W max High-tech ceramic-coated aluminum cone Resonance free aluminum cast basket	8 390,00 CZK
	 GZPK 165SQ-C	4037072024555	High-end 165 mm / 6.5" midwoofer 140 WRMS / 200 W max High-tech ceramic-coated aluminum cone Resonance free aluminum cast basket	16 790,00 CZK
	 GZPW 10SQX	4037072025705	25 cm / 10" High End SQ Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Anodized aluminum cone, protection grill, ConeGlide Fs 36 Hz, Qts 0.59, SPL 84 dB	15 390,00 CZK
	 GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZUW 10SQX subwoofer	1 490,00 CZK
	 GZPW 15XXmax	4037072022032	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 31.6 Hz / Qts 0.40 / SPL 85 dB	39 190,00 CZK

Line	Product		EAN Barcode	Description	RRP CZK
NUCLEAR		GZNT 28SQ	4037072023848	28 mm / 1.1" SQ silk dome tweeter with precision coating 4 ohm, 90 / 140 W, Fs 990 Hz, coupled chamber Black anodized CNC machined aluminum housing and CNC machined fastening rim Gold plated multi-way terminal GZ design grill	6 990,00 CZK
		GZNM 80SQ-K	4037072025293	High-tech 80 mm / 3.15" midrange speaker 70 W RMS / 110 W max High-tech Kevlar® cones Resonance free aluminum cast basket	7 490,00 CZK
		GZNK 165SQ-K	4037072024579	High-tech 165 mm / 6.5" midwoofer 130 W RMS / 190 W max High-tech Kevlar® cones Resonance free aluminum cast basket	11 190,00 CZK
		GZNW 30SPL-D1	4037072022162	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 38.6 Hz / Qts 0.38	19 590,00 CZK
		GZNW 30SPL-D2	4037072022179	30 cm / 12" Subwoofer, 3000 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	19 590,00 CZK
		GZNW 38SPL-D1	4037072022186	38 cm / 15" Subwoofer, 3500 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 36.0 Hz / Qts 0.52	23 790,00 CZK
		GZNW 38SPL-D2	4037072022193	38 cm / 15" Subwoofer, 3500 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	23 790,00 CZK
		GZNW 15NEO-EXTREME	4037072025477	38 cm / 15" high power SPL subwoofer, 6000W SPL Power 2 x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil / coated carbon-fiber cone Multi-neodymium magnet (check the manual for more information)	64 490,00 CZK
		GZNW 12X-D2	4037072025521	High performance long excursion subwoofer 2000 W RMS / 2x 2 Ω High performance long excursion subwoofer Aluminum cone / High-roll surround Solid blue aluminum cast basket (check the manual for more information)	16 790,00 CZK
	Pictures coming soon	GZNW 15X-D2	not fixed yet	High performance long excursion subwoofer Power: tba / 2x 2 Ω High performance long excursion subwoofer Aluminum cone / High-roll surround Solid blue aluminum cast basket (check the manual for more information)	tba
	GZNW 12Xmax	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	24 690,00 CZK	
	GZNW 15Xmax	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	30 790,00 CZK	






Line	Product	EAN Barcode	Description	RRP CZK
URANIUM	 GZUA 2SQ	4037072024593	Class A/B 2-channel SQ amplifier 2x 170 / 300 / 450 W @ 4 / 2 / 1 Ω 1x 1080 W max @ 2 Ω in bridged mode Wired remote control included	16 790,00 CZK
	 GZUA 4SQ	4037072024609	Class A/B 4-channel SQ amplifier 4x 115 / 185 W @ 4 / 2 Ω 2x 440 W max @ 4 Ω in bridged mode	16 790,00 CZK
	 GZUA 6SQ	4037072024616	Class A/B 6-channel SQ amplifier 4x 110 / 160 W + 2x 150 / 270 @ 4 / 2 Ω 2x 380 + 650 W max @ 4 Ω in bridged mode	27 990,00 CZK
	 GZUC 165.3SQ-ACT	4037072023244	16,5 cm / 6.5" SQ 3 way compo system for active use Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Midrange: 55 mm / 2.17" silk dome (GZUM 55SQ) Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	19 590,00 CZK
	 GZUC 165.2SQ	4037072022773	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 230 W, 40 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ) SQ passive crossovers	13 990,00 CZK
	 GZUC 165.2SQ-ACT	4037072022780	16,5 cm / 6.5" SQ 2 way compo system for active use Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	11 990,00 CZK
URANIUM	 GZUT 28SQ	4037072022452	SQ 28 mm / 1.1" silk dome tweeter 80 W RMS / 130 W max Freq. response 2500 – 25000 Hz	3 590,00 CZK
	 GZUM 55SQ	4037072023268	55 mm / 2.17" silk dome midrange 4 ohm, 90 / 150 W, 500 Hz - 7 KHz including aluminum fastening ring	8 390,00 CZK
	 GZUF 60SQ-A	4037072023473	60 mm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket 2 pairs hexagon style protection grills included	4 990,00 CZK
	 GZUM 80SQ	4037072022810	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 200 Hz - 6 KHz Mounting depth 35 mm / 1.38" Black anodized aluminum cone, rubber surround	5 590,00 CZK
	 GZUC 165SQ	4037072022759	16,5 cm / 6.5" SQ midwoofer 4 ohm, 120 / 180 W, 40 Hz - 3.5 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet	10 890,00 CZK
	 GZUX 165.2SQ	4037072022834	2-way SQ passive crossover 140 / 230 Watt RMS / max	2 790,00 CZK
	 GZUX 165.3SQ	4037072022841	3-way SQ passive crossover 160 / 250 Watt	3 590,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
URANIUM	 GZUW 8SQ-D2	4037072023169	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 56.9 Hz, Qts 0.69, SPL 83 dB	5 590,00 CZK
	 GZUW 10SQ-D2	4037072023176	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 40.2 Hz, Qts 0.54, SPL 86 dB	6 990,00 CZK
	 GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 105Q and GZUW 105SQ subwoofer	1 490,00 CZK
	 GZUW 12SQ-D2	4037072023183	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 39.8 Hz, Qts 0.67, SPL 87.2 dB	8 390,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
HYDROGEN	 GZHA MINI ONE	4037072016116	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	7 790,00 CZK
	 GZHA MINI ONE-K	4037072019735	1 Channel Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	9 790,00 CZK
	 GZHA MINI ONE-K 24V	4037072021424	1 Channel 24V Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	10 590,00 CZK
	 GZHA MINI TWO	4037072016123	2 Channel Class D amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	7 790,00 CZK
	 GZHA MINI FOUR	4037072016130	4 Channel Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	9 190,00 CZK
	 GZHA MINI FOUR 24V	4037072021448	4 Channel 24V Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	9 790,00 CZK
	 GZHA MINI FIVE	4037072020182	5 Channel Class D amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	11 190,00 CZK
	 GZHA MINI FIVE-DSP	4037072025118	5-channel full-range DSP amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	13 990,00 CZK
	 GZHC 165.2	4037072023718	16.5 cm / 6.5" 2 way compo system 4 ohm, 130 W / 220 W, 40 Hz - 24KHz Kickwoofer: Non-pressed paper cone, rubber surround , silver color aluminum cast basket Tweeter: 25 mm / 1" coated silk dome tweeter (GZHT 25S) 2-way passive crossover, GZ design grill	11 190,00 CZK
	 GZHK 165	4037072023732	16.5 cm / 6.5" midwoofer 4 ohm, 120 W / 180 W, 40 Hz - 5 KHz Non-pressed paper cone, rubber surround , silver color aluminum cast basket GZ design grill One pair per package	8 090,00 CZK
	 GZHM 80	4037072025453	8 cm / 4" midrange speaker 4 ohm, 50 W / 80 W, 170 Hz - 5 KHz Non-pressed paper cone, rubber surround , silver color aluminum cast basket GZ design grill One pair per package	6 390,00 CZK
	 GZHT 25S	4037072023770	25 mm / 1" coated silk dome tweeter 4 ohm, 70 / 110 W, 2200 Hz - 24 KHz GZ design grill	2 790,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
HYDROGEN	 GZHW 16SPL	4037072019476	17 cm / 6.7" Subwoofer, 1000 W SPL 2x 1 ohm Fs 51.5 Hz / Qts 0.46 / SPL 80.7 dB Yellow color aluminum cast basket	6 090,00 CZK
	 GZHW 20XSPL-D1	4037072021295	20 cm / 8" Subwoofer, 1500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 38.9 Hz, Qts 0.55	6 990,00 CZK
	 GZHW 20XSPL-D2	4037072021301	20 cm / 8" Subwoofer, 1500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 42.4 Hz, Qts 0.63	6 990,00 CZK
	 GZHW 25XSPL-D1	4037072021325	25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.3 Hz, Qts 0.52	9 790,00 CZK
	 GZHW 25XSPL-D2	4037072021332	25 cm / 10" Subwoofer, 2500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.1 Hz, Qts 0.58 Yellow color aluminum cast basket	9 790,00 CZK
	 GZHW 30XSPL-D1	4037072020649	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39.1 Hz, Qts 0.56 Yellow color aluminum cast basket	11 990,00 CZK
	 GZHW 30XSPL-D2	4037072020748	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 42.4 Hz, Qts 0.60 Yellow color aluminum cast basket	11 990,00 CZK
	 GZHW 38XSPL-D1	4037072021356	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 43.4 Hz, Qts 0.77 Yellow color aluminum cast basket	14 990,00 CZK
	 GZHW 38XSPL-D2	4037072021363	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39 Hz, Qts 0.65 Yellow color aluminum cast basket	14 990,00 CZK
	 GZHW 8SPL-D2 FLAT	4037072025316	25 cm / 8" Flat Subwoofer, 800 W SPL 2 x 2 ohm, 50 mm / 2" copper voice coil, Sandwich paper cone, high-roll surround Fs 31.5 Hz, Qts 0.41 Yellow color aluminum cast basket	6 990,00 CZK
	 GZHW 10SPL-D2 FLAT	4037072023824	25 cm / 10" Flat Subwoofer, 1000 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Sandwich paper cone, high-roll surround Fs 35.5 Hz, Qts 0.43 Yellow color aluminum cast basket	9 790,00 CZK
	 GZHW 12SPL-D2 FLAT	4037072025323	30 cm / 12" Flat Subwoofer, 1200 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Sandwich paper cone, high-roll surround Fs 21 Hz, Qts 0.30 Yellow color aluminum cast basket	11 990,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
RADIOACTIVE	 GZRA 2HD	4037072023060	2 Channel Class D amplifier 2 x 300WRMS @ 4 ohm 2 x 500WRMS @ 2 ohm	8 390,00 CZK
	 GZRA 4HD	4037072023022	4 Channel Class D amplifier 4 x 170WRMS @ 4 ohm 4 x 250WRMS @ 2 ohm	11 190,00 CZK
	 GZRC 165.2SQ	4037072020397	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	7 790,00 CZK
	 GZRC 165.3SQ	4037072020434	16,5 cm / 6.5" SQ 3 way compo system 3 ohm, 170 / 270 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodized aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	12 590,00 CZK
	 GZRC 165.3SQ-ACT	4037072020458	16,5 cm / 6.5" SQ 3 active way compo system 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodized aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ)	9 790,00 CZK
	 GZRC 165.2SQ-IVX	4037072025682	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) Installer friendly tweeter crossover (updated)	6 390,00 CZK
	 GZRT 25SQ	4037072020335	25 mm / 1" coated silk dome tweeter 4 ohm, 70 / 100 W, 3 - 25 KHz	3 090,00 CZK
	 GZRM 80SQ	4037072020359	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 160 Hz - 4 KHz Mounting depth 34 mm / 1.34" Black anodized aluminum cone, rubber surround	4 990,00 CZK
	 GZRK 165SQ	4037072020373	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Black anodized aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	3 290,00 CZK
	 GZRF 4.0SQX	4037072026047	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 24 KHz 25 mm / 1.1" silk dome tweeter with overload protection	2 490,00 CZK
	 GZRF 5.2SQX	4037072026054	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 24 KHz 25 mm / 1.1" silk dome tweeter with overload protection	2 390,00 CZK
	 GZRF 6.5SQX	4037072026061	16,5 cm / 6.5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 24 KHz 25 mm / 1.1" silk dome tweeter with overload protection	3 290,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
RADIOACTIVE	 GZRW 25-D2	4037072022513	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider High-roll surround, push terminals Fs 26.3 Hz, Qts 0.54, SPL 82 db	5 590,00 CZK
	 GZRW 30-D2	4037072018394	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 25.7 Hz, Qts 0.45, SPL 83 db	6 990,00 CZK
	 GZRW 38-D2	4037072021639	38 cm / 15" subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 27 Hz, Qts 0.51, SPL 87 db	8 390,00 CZK
	 GZRW 250-D2 FLAT	4037072025330	25 cm / 10" Flat- subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" voice coil, Paper sandwich cone Durable rubber surround, push terminals Fs 28 Hz, Qts 0.54, SPL 84 db	4 190,00 CZK
	 GZRW 300-D2 FLAT	4037072025347	30 cm / 12" Flat- subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" voice coil, Paper sandwich cone Durable rubber surround, push terminals Fs 23.5 Hz, Qts 0.44, SPL 85 db	4 990,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
RADIOACTIVE	 GZRW 6XSPL	4037072021479	16.5 cm / 6.5" Subwoofer, 700 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 49.5 Hz, Qts 0.576, SPL 79 db	4 190,00 CZK
	 GZRW 8XSPL	4037072021974	20 cm / 8" Subwoofer, 1000 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 45.8 Hz, Qts 0.36, SPL 84.6 db	4 990,00 CZK
	 GZRW 10XSPL	4037072018318	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.3 Hz, Qts 0.749, SPL 82 db	5 890,00 CZK
	 GZRW 12XSPL	4037072018325	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 31.8 Hz, Qts 0.684, SPL 83 db	6 990,00 CZK
	 GZRW 15XSPL	4037072019520	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 34.1 Hz, Qts 0.59, SPL 87.8 db	7 790,00 CZK
	 GZRB 16SPL	4037072021462	Loaded SPL subwoofer enclosure 16.5 cm / 6.5" SPL subwoofer (GZRW 6XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	5 590,00 CZK
	 GZRB 20SPL	4037072021936	Loaded SPL subwoofer enclosure 20 cm / 8" SPL subwoofer (GZRW 8XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	7 490,00 CZK
	 GZRB 25SPL	4037072023305	Loaded SPL subwoofer enclosure 25 cm / 10" SPL subwoofer Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	9 790,00 CZK
	 GZRB 30SPL	4037072020915	Loaded SPL subwoofer enclosure 30 cm / 12" SPL subwoofer Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	12 590,00 CZK

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP CZK
TITANIUM	 GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	790,00 CZK
	 GZTC 130.2X	4037072022537	13 cm / 5.25" 2 way compo system 3 ohm / 80/130 Watt RMS/max. Frequency range 60 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 20 mm / 0.79" silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct.in-line low pass filter / hexagon grill	3 890,00 CZK
	 GZTC 165.2X	4037072021691	16,5 cm / 6.5" 2 way compo system 3 ohm / 100/150 Watt RMS/max. Frequency range 50 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / Hexagon protection grill	4 990,00 CZK
	 GZTC 165.3X-ACT	4037072022414	16,5 cm / 6.5" 2-way component speaker system High efficient 3 ohm version 120 W RMS / 180 Watt max Frequency range 50 Hz - 22 KHz 165 mm kickwoofer with 3D HQPP cone / phase plug 100 mm / 4" midrange with 3D HQPP cone / phase plug 19 mm / 0.75" silk dome tweeter 12 dB/oct. crossover (mid/high) / 6 dB/oct. crossover (kickwoofer) / Hexagon protection grill	6 690,00 CZK
	 GZTT 20S	4037072021714	20 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3 - 20 KHz incl. Surface mount housing One pair per package	1 390,00 CZK
	 GZTM 100NEO	4037072021516	100 mm / 4" midrange with 3D HQPP cone / phase plug High efficient 3 ohm version Frequency range 250 Hz - 7 KHz 40 W RMS / 60 Watt max Hexagon protection grill One pair per package	3 290,00 CZK
	 GZTK 165	4037072022223	16,5 cm / 6.5" kickwoofer 3 ohm / 80/100 Watt RMS/max. Frequency range 50 Hz - 4 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket Hexagon protection grill One pair per package	2 190,00 CZK
	 GZTF 4.0X	4037072021745	10 cm / 4" 2-way coax speaker Efficient 3 ohm voice coil Power input 70 Watt RMS / 100 Watt max Frequency range 70 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	1 790,00 CZK
	 GZTF 5.2X	4037072021752	13 cm / 5.25" 2-way coax speaker Efficient 3 ohm voice coil Power input 80 Watt RMS / 110 Watt max Frequency range 60 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	2 090,00 CZK
	 GZTF 6.5X	4037072021769	16,5 cm / 6.5" 2-way coax speaker Efficient 3 ohm voice coil Power input 90 Watt RMS / 130 Watt max Frequency range 50 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	2 490,00 CZK
	 GZTF 69X	4037072021776	6x9" 3 way coaxial system 3 ohm / 130/190 Watt RMS/max. Frequency range 40 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 13 mm / 0.51" Mylar tweeter / 55 mm / 2.17" Mylar midrange GZ design grill	3 590,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
IRIDIUM		GZIA 1.1150D	4037072022926 1 Channel Class D Monoamp Output power 4/2/1 Ohm 370 / 665 / 1050 WRMS	9 190,00 CZK
		GZIA 1.1500D	4037072022933 1 Channel Class D Monoamp Output power 4/2/1 Ohm 425 / 775 / 1300 WRMS	10 090,00 CZK
		GZIA 1.2000D	4037072024074 1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1300 / 1800 WRMS	11 990,00 CZK
	Pictures coming soon	GZIA 100.2	4037072025873 2 Channel Class AB amplifier 2 x 75WRMS @ 4 ohm 2 x 120WRMS @ 2 ohm	3 090,00 CZK
	Pictures coming soon	GZIA 200.2	4037072025880 2 Channel Class AB amplifier 2 x 135WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	4 190,00 CZK
	Pictures coming soon	GZIA 135.4	4037072025897 4 Channel Class AB amplifier 4 x 100WRMS @ 4 ohm 4 x 140WRMS @ 2 ohm	4 690,00 CZK
	Pictures coming soon	GZIA 500.1	4037072025903 TBA	4 190,00 CZK
	Pictures coming soon	GZIA 1000.1	4037072025910 TBA	6 690,00 CZK
	Pictures coming soon	GZIA 1500.1	4037072025927 TBA	8 390,00 CZK
		GZIA Bassremote	4037072008388 Bass remote for GZIA / GZTA / GZHA / GZNA amps	790,00 CZK

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP CZK
IRIDIUM	 GZIC 130.2	4037072023411	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 19 mm / 0.75" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	2 790,00 CZK
	 GZIC 165.2	4037072023428	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 19 mm / 0.75" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	3 090,00 CZK
	 GZIC 165.2SPL	4037072024111	16,5 cm / 6.5" 2 way SPL compo system 3 ohm, 120 / 200 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 25 mm / 1" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	4 690,00 CZK
	 GZIK 165SPL	4037072024098	16,5 cm / 6.5" midwoofer 3 ohm, 120 W SPL, 50 Hz - 4000 Hz 3D-HQPP cone, resonance free GZ steel basket Hexagon style protection grill	2 790,00 CZK
	 GZIF 4.0	4037072023336	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	1 390,00 CZK
	 GZIF 5.2	4037072023343	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	1 690,00 CZK
	 GZIF 6.5	4037072023350	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	1 890,00 CZK
	 GZIF 69	4037072023367	15 x 23 cm / 6" x 9" 3 way coax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51" Mylar tweeter with overload protection 50 mm / 2" Mylar midrange loudspeaker Hexagon style protection grill	2 790,00 CZK
	 GZIF 4001FX	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 890,00 CZK
	 GZIF 5201FX	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	2 190,00 CZK
	 GZIF 6501FX	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	2 790,00 CZK
	 GZIC 400FX	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	3 890,00 CZK
	 GZIC 650FX	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	4 990,00 CZK


GROUND ZERO®

GERMAN ENGINEERING









Line	Product	EAN Barcode	Description	RRP CZK
IRIDIUM	 GZIW 10XSPL-D2	4037072023657	25 cm / 10" subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 36.2 Hz, Qts 0.61 SPL, 84 dB Yellow color steel basket	4 990,00 CZK
	 GZIW 12XSPL-D2	4037072023664	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 32.5 Hz, Qts 0.73 SPL, 86 dB Yellow color steel basket	5 590,00 CZK
	 GZIW 12XSPL-D2 PINK EDITION	4037072023671	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 32.5 Hz, Qts 0.73 SPL, 86 dB Pink color steel basket	5 590,00 CZK
	 GZIW 165	4037072023572	16.5 cm / 6.5" subwoofer, 100 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, 3D-HQPP cone, high-roll rubber surround, push terminals Fs 41 Hz, Qts 0.41, SPL 85.5 dB	2 090,00 CZK
	 GZIW 200	4037072023589	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, 3D-HQPP cone, high-roll rubber surround, push terminals Fs 32 Hz, Qts 0.44, SPL 87 dB	2 490,00 CZK
	 GZIW 250	4037072023596	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, 3D-HQPP cone, POLYCOT spider, rubber surround Fs 27 Hz, Qts 0.44, SPL 87 dB	3 590,00 CZK
	 GZIW 300	4037072023602	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, 3D-HQPP cone, POLYCOT spider, rubber surround Fs 30 Hz, Qts 0.58, SPL 88 dB	4 190,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
IRIDIUM		GZIB 20BR	4037072023862 Front bass tunnel box - 20 cm / 8" subwoofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	4 190,00 CZK
		GZIB 20BR-ACT	4037072023879 Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	8 390,00 CZK
		GZIB 25BR	4037072023886 Front bass tunnel box - 25 cm / 10" subwoofer 250 WRMS, 4 Ohm Front bass tunnel enclosure with 26 liter / 0.92 cu.ft	5 290,00 CZK
		GZIB 25BR-ACT	4037072023893 Active front bass tunnel box - 25 cm / 10" Build in high power amp 130 WRMS / 250 WMAX High-level input with auto-on "	9 490,00 CZK
		GZIB 30BR	4037072023909 Front bass tunnel box - 30 cm / 12" subwoofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	5 590,00 CZK
		GZIB 30BR-ACT	4037072023916 Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	9 790,00 CZK
		GZIB 2.30BR	4037072023923 Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	11 190,00 CZK
		GZIB 2.30BR-ACT	4037072026016 Active front bass tunnel box - 2x 30 cm / 12" woofer Build in high power amp 250 WRMS / 400 WMAX High-level input with auto-on	13 990,00 CZK
		GZIB 12SPL	4037072023930 Front bass tunnel SPL box incl. GZIW 12XSPL-D2 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	8 390,00 CZK
		GZIB 2.12SPL	4037072023947 Front bass tunnel SPL box incl. 2 x GZIW 12XSPL-D2 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	15 390,00 CZK
		GZIB 3.2500SPL	4037072016949 SPL box incl. 3 x GZIW 10XSPL-D2 3 x 25 cm / 3 x 10", 2100 W SPL Power, 1.4 ohm Sealed enclosure with 60 liter 2.12 cu.ft	12 590,00 CZK
		GZ BASS KIT 12.300X-II	4037072024005 Bass Kit incl. GZBA 1.300X amp 40 l front aero-port enclosure with 30 cm / 12" subwoofer, 3D-HQPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	6 990,00 CZK
		GZ BASS KIT 12.300X-II CONNECT	4037072024203 Bass Kit incl. GZBA 1.300X amp & GZPK 10XLC-II 40 l front aero-port enclosure with 30 cm / 12" subwoofer, 3D-HQPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm² / 8 AWG wiring kit	7 790,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
COMPETITION	 GZCA 500.Q1	4037072025057	4 – Channel competition SPL amplifier 4x 450 W RMS / 575 W max @ 1 Ω	16 790,00 CZK
	 GZCA 1500.M1	4037072024012	Mono competition SPL amplifier 1x 1350 W RMS / 1900 W max @ 1 Ω	9 790,00 CZK
	 GZCA 1500.M2	4037072025033	Mono competition SPL amplifier 1x 1350 W RMS / 1900 W max @ 2 Ω	9 790,00 CZK
	 GZCA 3000.M1	4037072024036	Mono competition SPL amplifier 1x 2900 W RMS / 4000 W max @ 1 Ω	13 990,00 CZK
	 GZCA 3000.M2	4037072025040	Mono competition SPL amplifier 1x 2900 W RMS / 4000 W max @ 2 Ω	13 990,00 CZK
	 GZCA 6000.M1	4037072025064	Mono competition SPL amplifier 1x 5000 W RMS / 6200 W max @ 1 Ω	22 390,00 CZK
	Pictures coming soon GZCA 300.Q1-24V	4037072026023	4 – Channel competition SPL amplifier 24V version 4x 345 W RMS / 410 W max @ 1 Ω	11 190,00 CZK
	Pictures coming soon GZCA 3000.M1-24V	not fixed yet	TBA	13 990,00 CZK




Line	Product		EAN Barcode	Description	RRP CZK
COMPETITION PRO	Pictures coming soon	GZCF 165NEO-PRO	4037072024050	High-power 2-way SPL coaxial speaker 25 mm / 1" compression tweeter 150 + 50 W RMS / 300 + 100 W max Freq. response 150 – 20 kHz Neodymium magnet	8 390,00 CZK
	Pictures coming soon	GZCF 200NEO-PRO	4037072025019	High-power 2-way SPL coaxial speaker 25 mm / 1" compression tweeter 250 + 50 W RMS / 400 + 100 W max Freq. response 130 Hz – 20 kHz Neodymium magnet	9 790,00 CZK
	Pictures coming soon	GZCM 6.5N-PROX	4037072024975	High end 165 mm / 6.5" midrange 200 W RMS / 400 W max 180 – 12000 Hz / SPL 96 dB Neodymium magnet	6 690,00 CZK
	Pictures coming soon	GZCM 8.0N-PROX	4037072024999	High end 200 mm / 8" midrange 300 W RMS / 500 W max 120 – 7000 Hz / SPL 98 dB Neodymium magnet	8 390,00 CZK
		GZCT 19N-PROX B	4037072019186	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, light weight polyester dome, neodymium magnet - black price per piece	4 490,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
COMPETITION	 GZCT 25SQL	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink Price per piece	1 690,00 CZK
	 GZCC 165.2SQL	4037072020663	16,5 cm / 6.5" 2-way component speaker system 160 / 300 Watt RMS/max. Frequency range 50 Hz - 22 KHz Midwoofer: GZCK 165SPL Tweeter: GZCT 25SQL 12 dB/oct. crossover (with double woofer option)	10 090,00 CZK
	 GZCX 165/200.2SQL	4037072020625	High-power SQL competition crossover Slope 12/12 dB/oct. Double woofer/tweeter option One pair per package	2 790,00 CZK
	 GZCK 165XSPL	4037072020502	16,5 cm / 6.5" competition kick- / midwoofer Impedance 4 ohms, 100 / 250 Watts SPL 93 dB, 50 Hz - 4 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	2 190,00 CZK
	 GZCK 200XSPL	4037072020526	20 cm / 8.0" competition kick- / midwoofer Impedance 4 ohms, 150 / 300 Watts SPL 93 dB, 50 Hz - 6 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	3 090,00 CZK
	 GZCK 250XSPL	4037072020540	25 cm / 10.0" competition kick- / midwoofer Impedance 4 ohms, 200 / 400 Watts SPL 93 dB, 40 Hz - 6 kHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone Rubber surround Price per piece	4 690,00 CZK
	 GZCK 250XSPL-GRILL	4037072020601	25 cm / 10.0" hexagon style speaker grill Fits GZCK 250XSPL Price per piece	490,00 CZK




Line	Product	EAN Barcode	Description	RRP CZK	
COMPETITION	 GZCF 6.5SPL-NEO	4037072025415	High-power 2-way SPL coaxial speaker with flat neodymium motor and 28 mm / 1.1" tweeter 100 W RMS / 250 W max Freq. response 50 Hz – 20 kHz Reduced installation depth	13 990,00 CZK	
	 GZCF 6.5XSPL	4037072026146	16,5 cm / 6.5" 2-way coaxial speaker 100 / 250 Watt RMS/max. Frequency range 50 Hz - 20 kHz	5 290,00 CZK	
	 GZCF 8.0SPL	4037072023046	20 cm / 8" 2-way coaxial speaker 150 / 300 Watt RMS/max. Frequency range 40 Hz - 20 kHz	6 090,00 CZK	
	Pictures coming soon	GZCF 8.0XSPL-NEO	not fixed yet	TBA	15 390,00 CZK
	 GZCF 6.9SPL	4037072023756	6x9" 2-way coaxial speaker 150 / 300 Watt RMS/max. Frequency range 50 Hz - 20 kHz	6 090,00 CZK	
	Pictures coming soon	GZCF 6.9XSPL-NEO	not fixed yet	TBA	15 390,00 CZK
	 GZCF 7104XSPL	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	4 990,00 CZK	
	 GZCM 6.5NEO-DC	4037072022490	165 mm / 6.5" competition midrange Impedance 3 ohms, 120 / 320 Watts SPL 98 dB, 240 Hz - 12 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / paper dust cap Lightweight reinforced paper cone / W-foam surround Hexagon protection grill Price per piece	4 190,00 CZK	
	 GZCM 6.5SPL	4037072020120	16,5 cm / 6.5" competition midrange 4 ohm impedance 100 / 300 W RMS/max., SPL 94 dB, 250 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	2 190,00 CZK	
	 GZCM 8.0SPL	4037072020137	20 cm / 8" competition midrange 4 ohm impedance 150 / 400 W RMS/max., SPL 95 dB, 170 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	2 790,00 CZK	
	 GZCM 10.0SPL	4037072020144	25 cm / 10" competition midrange 4 ohm impedance 200 / 500 W RMS/max., SPL 96 dB, 150 Hz - 10 KHz 50 mm / 2" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	3 590,00 CZK	
	 GZCW 10SPL	4037072025613	25 cm / 10" competition midwoofer 4 ohm impedance 500 / 1000 W RMS/max., SPL 91 dB 75 mm / 3" copper voice coil Non-pressed paper cone price per piece	9 790,00 CZK	

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP CZK
COMPETITION	 GZCT 25M-SPL	4037072024180	High-quality dome tweeter Installation-friendly dimensions 70 W RMS / 100 W max Incl. 12 dB/oct. in-line high pass filter	1 890,00 CZK
	 GZCT 28M-SPL	4037072025392	High-quality dome tweeter Installation-friendly dimensions 80 W RMS / 110 W max Incl. 12 dB/oct. in-line high pass filter	2 190,00 CZK
	 GZCT 0500X	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminium cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) price per piece	2 190,00 CZK
	 GZCT 500IV-B	4037072019957	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, Black anodized aluminum cast baffle, plastic bullet Install version with outer thread Including optional highpass filter (3,3µF capacitor) price per piece	2 190,00 CZK
	 GZCT 3500X-B	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	690,00 CZK
	 GZCT 3500X-S	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	690,00 CZK
	 GZCT 4000X	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminium round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	1 890,00 CZK
	 GZCT 5000SPL	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil elliptical traxtrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	3 090,00 CZK
	 GZCT 5000SPL-B	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil elliptical traxtrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	3 090,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
MARINE	 GZRM 165X	4037072016413	16,5 cm / 6.5" Marine 2 way coax speaker 4 ohm, 70 / 120 W, 60 Hz - 25 KHz Water repellent and salt water resistant Perfect for use at outer decks of yachts or in humid areas White IMPP cone 13 mm / 0.51" PEI tweeter	2 790,00 CZK
PROTECT	 GZ PROTECT	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-softits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	790,00 CZK
DSP / CAR SPECIFIC	 GZHA MINI FIVE-DSP	4037072025118	5-channel full-range DSP amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	13 990,00 CZK
	 GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	1 890,00 CZK
	 GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	2 190,00 CZK
	 GZDSP 4.80A-PRO	4037072020229	4-Channel amplifier with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier 6-channel line input (RCA) and high-level input (with auto-on function) 4-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) Optical and coaxial digital input (sampling rate up to 24-bit/192 kHz) AUX input (3.5 mm socket) Integrated DSP (GZDSP 6-8X PRO) 4x 80 / 130 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote PRO)	13 990,00 CZK
	 GZCS DSPA-4.60ISO	4037072024166	Compact 4-channel amplifier with built-in DSP 8-channel digital signal processor 4x 45/60 W RMS @ 4 / 2 Ω ISO-harness for plug 'n' play installation	13 990,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
DSP	 GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	1 890,00 CZK
	 GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	2 190,00 CZK
	 GZDSP REMOTE PRO X	4037072020274	Remote control for GZDSP 6-8X PRO Master volume control Sub-out volume control Input mode selection (incl. coaxial digital input) Preset selection	1 790,00 CZK
	 GZDSP BT-BOX	4037072018035	Wireless music streaming interface Including connection cable Compatible with GZDSP 6-8X, 6-8X PRO and 4.80A-PRO	2 190,00 CZK
	 GZCS HLC-2.6	4037072020267	Adapter for car specific harness to be used with GZDSP PRO units compatible with GZCS 4.0BMW-Connect GZCS MB-Connect	290,00 CZK
	 GZCS HLC-1.12	4037072019971	Adapter for car specific harness to be used with GZDSP units (not for PRO units) compatible with GZCS 4.0 BMW-Connect GZCS MB-Connect	290,00 CZK
	 GZDSP 4-8XII	4037072021615	Digital Signal Processor 4 input / 8 output channels High and low level input, Auto-on function for high and low level input BT-USB connector input (for optional USB dongle GZDSP BT-Stick) 8x 10-band parametric equalizer (+/- 12 dB / Q: 0.4 ~ 28 / 20 Hz - 20 kHz) Time delay correction 0 ~ 8 ms / 0 ~ 277 cm, Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 ~ 24 dB/oct), High and low shelving function Phase shift each channel 0 / 180°, English & Chinese software / GUI	6 990,00 CZK
	 GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	1 890,00 CZK
	 GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	2 190,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK	
DSP / CAR SPECIFIC		GZDSP 6-10SQ	4037072026108	Digital Signal Processor 6 input / 10 output channels High and low level input, Auto-on function for high and low level input BT 5.0 integrated 10x 31-band parametric output equalizer 7-band input equalizer for each source Time delay correction 0 ~ 8 ms / 0 ~ 277 cm, Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 ~ 24 dB/oct), High and low shelving function Phase shift each channel 0 / 180°	13 990,00 CZK
	Pictures coming soon	GZREM 6-10	4037072026115	Wired remote control for GZDSP 6-10SQ incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Source selection, Mute function	1 890,00 CZK
		GZCS A-4.80	4037072022698	4 Channel Class D MICRO amplifier 4 x 60WRMS @ 4 ohm 4 x 80WRMS @ 2 ohm High-level input with auto-on function Dimensions (w x h x l) heatsink/overall) 82 x 40 x 151/171 mm / 3.32 x 1.57 x 5.94/6.73"	7 490,00 CZK
		GZCS A-1.650D	4037072023084	1 Channel Class D Monoamp Output power 4/2/1 Ohm 250 / 450 / 650 WRMS High-level input with auto-on function	6 990,00 CZK
		GZCS ISO-CONNECT	4037072024135	ISO harness for GZCS A-4.80	1 390,00 CZK
		GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	3 090,00 CZK
		GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	3 590,00 CZK
		GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	790,00 CZK
		GZCS 100.2MB	4037072024722	MB-specific 2-way component loudspeaker system 70 W RMS / 110 W max Suitable for front and rear doors	9 190,00 CZK
		GZCS F-4.0MB	4037072024746	Car specific 2-way coaxial speaker 60 W RMS / 100 W max Suitable for front and rear doors Including mounting adapters	7 790,00 CZK
		GZCS 100MB-S	4037072024760	MB-specific wide-band surround speakers 40 W RMS / 60 W max Freq. response 150 Hz ~ 14 kHz 1 pair	3 290,00 CZK
		GZCS 100MB-C	4037072024777	MB-specific wide-band center speaker 40 W RMS / 60 W max Freq. response 150 Hz ~ 14 kHz Double voice coil / 2x 4 Ω 1 piece	2 190,00 CZK

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP CZK
CAR SPECIFIC	 GZCS W-200MB.RH-L	4037072021554	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / passenger's side	8 390,00 CZK
	 GZCS W-200MB.RH-R	4037072021561	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / driver's side	8 390,00 CZK
	 GZCS W-200MB.LH-L	4037072022674	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For LHD vehicles only / driver's side	7 790,00 CZK
	 GZCS W-200MB.LH-R	4037072022650	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For LHD vehicles only / passenger's side	7 790,00 CZK
	 GZCS 100.2BMW	4037072024739	BMW-specific 2-way component loudspeaker system 70 W RMS / 110 W max Including mounting adapters	9 190,00 CZK
	 GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	3 090,00 CZK
	 GZCS BMW-CENTER	4037072024753	BMW-specific 2-way coaxial center speaker 60 W RMS / 100 W max Freq. response 70 Hz – 22 kHz 1 Piece	4 190,00 CZK
	 GZCS F-4.0BMW	4037072025507	Car specific 2-way coaxial loudspeaker 60 W RMS / 100 W max Freq. response 70 Hz – 22 kHz Including mounting adapters	7 790,00 CZK
	 GZCS 200BMW-SW	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	9 790,00 CZK
	 GZCS 200BMW-SW4	4037072020489	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer Double neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB Impedance 4 ohms	11 990,00 CZK

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP CZK
CAR SPECIFIC	 GZCS 200.2VW-T5/T6	4037072023497	20 cm / 8" car specific 2-way compo system for VW T5/T6 Power handling 80 W RMS / 140 W MAX Frequency range 40 Hz - 20 KHz, SPL 89 dB 4 Ohm midwoofer with carbon-fiber cone & rubber surround 28 mm / 1.1" soft dome tweeter Incl. in-line crossovers	9 190,00 CZK
	 GZCS T-25S	4037072025163	Universal 25 mm / 1" silk dome tweeter 50 W RMS / 80 W max Freq. response 4 – 20 KHz	3 290,00 CZK
	 GZCS T-25VW	4037072025156	Car specific 25 mm / 1" silk dome tweeter 50 W RMS / 80 W max Freq. response 4 – 20 KHz Incl. VW specific connectors	2 790,00 CZK
	 GZCS K-165VW	4037072025132	Car specific 165 mm / 6.5" midwoofer 70 W RMS / 100 W max Freq. response 50 Hz – 5 kHz Incl. VW specific connectors and mounting adapter	3 290,00 CZK
	 GZCS K-200VW	4037072025149	Car specific 200 mm / 8" midwoofer 80 W RMS / 110 W max. Freq. response 40 Hz – 4.5 KHz Incl. VW specific connectors	4 190,00 CZK
	 GZCS 46CX	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	1 890,00 CZK
	 GZCS 8.7CX	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	1 390,00 CZK
	 GZCS 12CX	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	1 790,00 CZK
	 GZCS 10SUB	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24,40" x 17,32" x 4,72" (5,71" including rubber feet)	6 090,00 CZK
	 GZCS 10SUB-ACT	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24,40" x 17,32" x 4,72" (5,71" including rubber feet)	8 890,00 CZK
	 GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps and ACT models	790,00 CZK
	 GZCS SW-800A	4037072024227	Flat active subwoofer Solid GZ-design aluminum cast housing 20 cm / 8" driver 120 W RMS / 180 W max Including wired remote control	6 990,00 CZK
	 GZCS SW-1000A	4037072024241	Flat active subwoofer Solid GZ-design aluminum cast housing 25 cm / 10" driver 150 W RMS / 210 W max Including wired remote control	8 390,00 CZK
	 GZCS Y-BOX	4037072024265	Remote extension box to control two under-seat subwoofers simultaneously	790,00 CZK








Line	Product	EAN Barcode	Description	RRP CZK
DAMPING	 GZDM DOORKIT PRO	4037072021653	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) GZDF 400SI 2 sheets (50 x 37.5 cm) GZDS 1200AL-GOLD 4 boxes = 1 master carton temporarily not available	2 790,00 CZK
	 GZDF 1500SA-PRO	4037072022551	High efficient viscous-elastic damping material Water repellent surface Self-adhesiv formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m ² / 16.15 ft ² 4 boxes = 1 master carton temporarily not available	3 090,00 CZK
	 GZDF 400SI	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating polethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m ² / 40.36 ft ² 5 boxes = 1 master carton temporarily not available	2 490,00 CZK
	 GZDM 3750AB-GOLD	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft ²	3 290,00 CZK
	 GZDM 3750AB-SILVER	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft ²	3 090,00 CZK
	 GZDM 1900ML-GOLD	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ² temporarily not available	3 890,00 CZK
	 GZDA 1200AL-GOLD	4037072019759	Massive aluminum foil to cut individually and to seal openings inside the doors for acoustical reasons and to avoid the intrusion of moisture into the vehicle's compartment. Self-adhesive, temperature and water resistant, not flammable. Material thickness 300 µm / 0.12" 6 sheets, each 50 x 37.5 cm temporarily not available	1 790,00 CZK
	 GZDM 1900MC-GOLD	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ² temporarily not available	2 790,00 CZK
	 GZDM 250AL-BassBoost	4037072019773	Multi component damping mat 15 mm / 0.59" Self-adhesive multilayer, non-flammable damping material with a specifically molded aluminum surface reducing the reflection of sound waves and pressure when installed directly on the backside of a dynamical speaker 2 sheets, each 25 x 38.3 cm temporarily not available	690,00 CZK
	 GZDM 1400NB-GOLD	4037072021943	Multilayer damping mat 3 mm / 0.12" Self-adhesive multilayer, non-flammable damping material with a nonwoven textile top layer / highly elastic structure 7 sheets, each 57 x 35 cm temporarily not available	2 790,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
ACCESSORIES - WIRING / ADAPTER		GZCS MB-CONNECT	4037072020304 Car specific wiring harness for Mercedes-Benz	3 590,00 CZK
		GZCS 4.0BMW-CONNECT	4037072018110 BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	3 090,00 CZK
		GZCS ISO QUADLOCK I	4037072014266 ISO-QUADLOCK Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013	1 390,00 CZK
		GZCS ISO QUADLOCK II	4037072015768 ISO-QUADLOCK II Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on	1 490,00 CZK
		GZCS Y-BOX	4037072024265 Remote extension box to control two under-seat subwoofers simultaneously	790,00 CZK
		GZDSP BTS 4-8XII	4037072021820 Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	2 190,00 CZK
		GZCV 2.0HL	4037072011326 High-low level converter 1:1 converter	1 690,00 CZK
		GZTH 25-28B	4037072021677 High quality surface-mounted housing - 1 pair Plastic injection housing with black rubber-touch surface finish Suitable for: GZRT 25SQ GZUT 28SQ	490,00 CZK














Line	Product	EAN Barcode	Description	RRP CZK	
ACCESSORIES - CABLES		GZCC 0.5X-TP	4037072024845	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 0.5 m / 1.64 ft	490,00 CZK
		GZCC 1.0X-TP	4037072024852	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 1.0 m / 3.28 ft	690,00 CZK
		GZCC 3.0X-TP	4037072024869	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 3.0 m / 9.84 ft	790,00 CZK
		GZCC 5.5X-TP	4037072024876	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 5.5 m / 18.05 ft	1 090,00 CZK
		GZCC 1.3X	4037072018059	1 m / 3.3 ft RCA cable Triple shielded signal wire with isolated RCA connectors	190,00 CZK
		GZCC 5.3X	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	390,00 CZK
		GZCC 5.1XLC	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	190,00 CZK
		GZCY 30X	4037072008937	Y adapter 1 female in - 2 male out	90,00 CZK



Line	Product	EAN Barcode	Description	RRP CZK	
ACCESSORIES - CABLES / KITS		GZPK 10XLC-II	4037072021196	10 mm ² cable kit 5,2 m / 17 ft power cable yellow 0,8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1,5 m / 4,9 ft speaker cable 60 A AGU fuseholder, various accessories	790,00 CZK
		GZPK 50X-II	4037072021271	50 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. accessories	3 090,00 CZK
		GZPK 35X-II	4037072021257	35 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 150 A ANL Fuseholder, div. Accessories	2 190,00 CZK
		GZPK 20X-II	4037072021233	20 mm ² Cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	1 490,00 CZK
		GZPK 10X-II	4037072021219	10 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	990,00 CZK
		GZSC 1.5X2 OFC	4037072018141	2 x 1.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3+3mm / 0.118"+0.118"	4 590,00 CZK
		GZSC 2.5X2 OFC	4037072018158	2 x 2.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3,8+3,8mm / 0.165"+0.165"	7 690,00 CZK
		GZSC 4.0X2 OFC	4037072018165	2 x 4.00 mm ² speaker cable OFC - pure copper 75m / 246ft on wooden spool black & yellow; OD 4,5+4,5mm / 0.197"+0.197"	9 190,00 CZK
		GZSC 10X2 OFC	4037072018189	2 x 10.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6,8+6,8mm / 0.298"+0.298"	15 390,00 CZK
		GZSC 2-0.75X	4037072021110	0.75 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	2 790,00 CZK
		GZSC 2-1.50X	4037072021134	1.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	4 690,00 CZK
		GZSC 2-2.50X	4037072021158	2.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	7 790,00 CZK
		GZSC 2-4.00X	4037072021172	4.00 mm ² speaker cable spool 100m spool / 328ft black & yellow isolation	5 890,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
ACCESSORIES - CAPACITOR / CABLES		GZTC 1.0FX	4037072008166 1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	2 790,00 CZK
		GZPC 10B	4037072009279 Black 10 mm² power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	3 290,00 CZK
		GZPC 10Y	4037072021035 Yellow 10 mm² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	3 290,00 CZK
		GZPC 20B	4037072009293 Black 20 mm² power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm²; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	6 390,00 CZK
		GZPC 20Y	4037072021059 Yellow 10 mm² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	6 390,00 CZK
		GZPC 35B	4037072009316 Black 35 mm² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	6 690,00 CZK
		GZPC 35Y	4037072021073 Red 35 mm² power cable spool 30m / 98ft 5.102364in spool Positive 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	6 690,00 CZK
		GZPC 50B	4037072009330 Black 35 mm² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	6 390,00 CZK
		GZPC 50Y	4037072021097 Yellow 50 mm² power cable spool 20m / 65ft 7.401576in spool Positive 50 mm²; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	6 390,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK	
ACCESSORIES - OTHER		GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 105Q and GZUW 105QX subwoofer	1 490,00 CZK
		GZ ULTRA 165-GRILL	4037072025231	165 mm hexagon stye NRG speaker grill Fits to GZ ULTRA / GZPK / GZNK / GZUK / GZHK 1 pair	6 990,00 CZK
	Pictures coming soon	GZ ULTRA 80-GRILL	4037072025996	80 mm hexagon style NRG speaker grill Fits to GZ ULTRA / GZPM / GZNM / GZUM / GZHM / GZRM	tba
		GZMG 165 / 6.5	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	2 790,00 CZK
		GZMG 38/15	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	790,00 CZK
		GZST 2S	4037072020007	2-pin flush mounting speaker terminal Chromed push terminals	190,00 CZK
		GZST 2B	4037072020014	2-pin flush mounting speaker terminal Chromed sush terminals for large cable diameter	290,00 CZK
		GZST 4S	4037072021530	4-pin flush mounting speaker terminal Chromed push terminals with large diameter Including metal bridging stripes for parallel or serial connection	490,00 CZK
	Pictures coming soon	GZ SUB-AMP 300	not fixed yet	compact amplifier module replacement for all Ground Zero 2- and 4 pin subwoofer terminals 2 ohms	tba

Line	Product	EAN Barcode	Description	RRP CZK	
POWER ACCESSORIES		GZBT 2.50 MANL-POS	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm ² / 0 AWG Direct (2 x 50 mm ² / 0 AWG Fused with MANL)	1 090,00 CZK
		GZBT 2.50 NEG	4037072010862	Battery terminal (-) Output 1 x 50 mm ² / 0 AWG	990,00 CZK
		GZDB 3.50/4.20	4037072010879	Distribution block Input 3 x 50 mm ² / 0 AWG - Output 4 x 20 mm ² / 4 AWG	1 090,00 CZK
		GZDB 4.50/8.20MANL	4037072025217	Distribution block and MANL fuse holder Input 4x 50 mm ² / 0 AWG - Output 8x 20 mm ² / 4 AWG	1 890,00 CZK
		GZFH 1.20 IL-MANL	4037072011548	MANL in-line fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	190,00 CZK
		GZFH 1.20/1.20 MANL	4037072010831	MANL fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	490,00 CZK
		GZFH 1.50/1.50 ANL/MANL	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 1 x 50 mm ² / 0 AWG	1 090,00 CZK
		GZFH 1.50/2.20 ANL/MANL	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 2 x 20 mm ² / 4 AWG	1 090,00 CZK
		GZFH 3.50/4.20 ANL/MANL	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm ² / 4 AWG - Output 4 x 20 mm ² / 4 AWG	2 190,00 CZK
		GZWR 50-20	4037072025484	Wire reducer For reducing 50 mm ² / 0 AWG into 20 mm ² / 4 AWG	tba

Line	Product	EAN Barcode	Description	RRP CZK
POWER ACCESSORIES		GZFU 40A/2 MANL	4037072011562 Mini ANL fuse 40 A 2 Pcs in blister	90,00 CZK
		GZFU 100A/2 MANL	4037072011258 Mini ANL fuse 100 A 2 Pcs in blister	90,00 CZK
		GZFU 100A/1 ANL	4037072011289 ANL fuse 100 A 1 Pc in blister	190,00 CZK
		GZFU 150A/1 ANL	4037072011296 ANL fuse 150 A 1 Pc in blister	190,00 CZK
		GZFU 200A/1 ANL	4037072011302 ANL fuse 200 A 1 Pc in blister	190,00 CZK
		GZFU 40A/10 MANL <small>10 Pcs.</small>	4037072011722 Mini ANL fuse 40 A 10 Pcs in poly bag	290,00 CZK
		GZFU 100A/10 MANL <small>10 Pcs.</small>	4037072011753 Mini ANL fuse 100 A 10 Pcs in poly bag	290,00 CZK
		GZFU 150A/10 MANL <small>10 Pcs.</small>	4037072011760 Mini ANL fuse 150 A 10 Pcs in poly bag	290,00 CZK
		GZFU 200A/10 MANL <small>10 Pcs.</small>	4037072011777 Mini ANL fuse 200 A 10 Pcs in poly bag	290,00 CZK
		GZFU 100A/10 ANL <small>10 Pcs.</small>	4037072011784 ANL fuse 100 A 10 Pcs in poly bag	590,00 CZK
		GZFU 150A/10 ANL <small>10 Pcs.</small>	4037072011791 ANL fuse 150 A 10 Pcs in poly bag	590,00 CZK
		GZFU 200A/10 ANL <small>10 Pcs.</small>	4037072011807 ANL fuse 200 A 10 Pcs in poly bag	590,00 CZK
		GZFU 300A/10 ANL <small>10 Pcs.</small>	4037072011814 ANL fuse 300 A 10 Pcs in poly bag	590,00 CZK

Line	Product	EAN Barcode	Description	RRP CZK
HEADPHONES	 GZHP 10-IE	4037072018011	Powerful stereo in-ear headphone / headset function 98 db, 32 ohm, 20 Hz - 20 KHz High quality 10 mm / 0.4" neodymium speaker Microphone control button (phone call pick up & hang up / track skip / play / pause) Cable length 1.2 m / 3.9 ft	790,00 CZK
	 GZHP 40-OE	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	1 690,00 CZK

With the publication of this price list all previous price lists are invalid.
 Errors, misprints and price changes reserved.
 All mentioned prices are euro prices.

-confidential-

Any unauthorized copying, disclosure or distribution of the material in this e-mail is strictly forbidden and may be liable to prosecution!

Ground Zero GmbH - Erlenweg 25 - 85658 Egmating - GERMANY

Phone : +49 8095 873 83 0 - Fax : +49 8095 873 83 10

Web : www.ground-zero-audio.com - Email : info@ground-zero-audio.com

Trade register: Amtsgericht München HRB 128584 - VAT ID Number: 172284786